

Devi 3/4" DTIR-150 412 / 450

rusaquastroy.ru

Devi 3/4" DTIR-150 412 / 450



Devi 3/4" DTIR-150 412 / 450
7 890.00

Devi 3/4" DTIR-150 412 / 450 radiator, height 450 mm, width 412 mm, 0.45 kW. It is a cast aluminum radiator with a 3-year warranty. It is suitable for use with a heating system with a maximum pressure of 15 bar and a maximum temperature of 110°C. It is suitable for use with a heating system with a maximum pressure of 15 bar and a maximum temperature of 110°C. It is suitable for use with a heating system with a maximum pressure of 15 bar and a maximum temperature of 110°C.



Devi 3/4" DTIR-150 549 / 600
9 700.00

Devi 3/4" DTIR-150 549 / 600 radiator, height 600 mm, width 549 mm, 0.45 kW. It is a cast aluminum radiator with a 3-year warranty. It is suitable for use with a heating system with a maximum pressure of 15 bar and a maximum temperature of 110°C. It is suitable for use with a heating system with a maximum pressure of 15 bar and a maximum temperature of 110°C. It is suitable for use with a heating system with a maximum pressure of 15 bar and a maximum temperature of 110°C.



**Devi ДѳДмДѳД»Њ«Д' ДѳД³⁄₄Д» Њ•Д»ДмД°Њ,ЊЄД,ЊѳДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 823 / 900 Д'Њ, 0,4
12 350.00**

Devi ДѳДмДѳД»Њ«Д' ДѳД³⁄₄Д» Њ•Д»ДмД°Њ,ЊЄД,ЊѳДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 823 / 900 Д'Њ, 0,45 x 12 Д¼ 6 [\[Д'Д³⁄₄Д'ЊЄД³⁄₄Д±Д½ДмДм...\]](#)



**Devi ДѳДмДѳД»Њ«Д' ДѳД³⁄₄Д» Њ•Д»ДмД°Њ,ЊЄД,ЊѳДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1098 / 1200 Д'Њ, 0,
15 010.00**

Devi ДѳДмДѳД»Њ«Д' ДѳД³⁄₄Д» Њ•Д»ДмД°Њ,ЊЄД,ЊѳДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1098 / 1200 Д'Њ, 0,45 x 16 Д¼ 8 ДѳДмЊ...Д½Д,ЊѳДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, Devi Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1098 / 1200 Д'Њ, âЄѳ Њ,Д,Дѳ Д°Д°Д±ДмД»Њ• Д'Д²ЊfЊ...ДѳД,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД³⁄₄Д²Д°Д½Д½Њ«Д' âЄѳ Д½Д³⁄₄Д¼Д,Д½Д°Д»ЊЄД½Д³⁄₄Дм Д½Д°ДѳЊЄЊ•ДѳДмД½Д,Дм ~ 230 Д' âЄѳ ЊfД'ДмД»ЊЄД½Д°Њ• Д¼Д³⁄₄Њ%°Д½Д³⁄₄Њ•Њ,ЊЄ 137 Д'Њ,Д¼₂ ДѳЊЄД, 220 [\[Д'Д³⁄₄Д'ЊЄД³⁄₄Д±Д½ДмДм...\]](#)



**Devi ДѳДмДѳД»Њ«Д' ДѳД³⁄₄Д» Њ•Д»ДмД°Њ,ЊЄД,ЊѳДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1235 / 1350 Д'Њ, 0,
16 440.00**

Devi ДѳДмДѳД»Њ«Д' ДѳД³⁄₄Д» Њ•Д»ДмД°Њ,ЊЄД,ЊѳДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1235 / 1350 Д'Њ, 0,45 x 18 Д¼ 9 ДѳДмЊ...Д½Д,ЊѳДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, Devi Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1235 / 1350 Д'Њ, âЄѳ Њ,Д,Дѳ Д°Д°Д±ДмД»Њ• Д'Д²ЊfЊ...ДѳД,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД³⁄₄Д²Д°Д½Д½Њ«Д' âЄѳ Д½Д³⁄₄Д¼Д,Д½Д°Д»ЊЄД½Д³⁄₄Дм Д½Д°ДѳЊЄЊ•ДѳДмД½Д,Дм ~ 230 Д' âЄѳ ЊfД'ДмД»ЊЄД½Д°Њ• Д¼Д³⁄₄Њ%°Д½Д³⁄₄Њ•Њ,ЊЄ 137 Д'Њ,Д¼₂ ДѳЊЄД, 220 [\[Д'Д³⁄₄Д'ЊЄД³⁄₄Д±Д½ДмДм...\]](#)



**Devi ДѳДмДѳД»Њ«Д' ДѳД³⁄₄Д» Њ•Д»ДмД°Њ,ЊЄД,ЊѳДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1372 / 1500 Д'Њ,
17 900.00**

Devi ДґДмДґД»Њ«Д' ДґД³Д» Њ«Д»ДмД°Њ,ЊЄД,ЊґДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1372 / 1500 Д'Њ, ДґДмЊ...Д½Д,ЊґДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, Devi Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1372 / 1500 Д'Њ, âЄґ Њ,Д,Дґ Д°Д°Д±ДмД»Њ• Д'Д²ЊфЊ...Д¶Д,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД³Д²Д°Д½Д½Њ«Д' âЄґ Д½Д³Д¼Д¼Д,Д½Д°Д»ЊЄД½Д³Д¼Дм Д½Д°ДґЊЊ•Д¶ДмД½Д,Дм ~ 230 Д' âЄґ ЊфД'ДмД»ЊЄД½Д°ДЊ• Д¼Д³ДЊ%Д½Д³ДЊ•Њ,ЊЄ 137 Д'Њ,Д¼² ДґЊЄД, 220 Д', 150 Д'Њ,Д¼ [ДґД³Д»ЊЄД³Д±Д½ДмДм...]



Devi ДґДмДґД»Њ«Д' ДґД³Д» Њ«Д»ДмД°Њ,ЊЄД,ЊґДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1647 / 1800 Д'Њ, 0, 19 400.00

Devi ДґДмДґД»Њ«Д' ДґД³Д» Њ«Д»ДмД°Њ,ЊЄД,ЊґДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1647 / 1800 Д'Њ, 0,45 x 24 Д¼ 12 ДґДмЊ...Д½Д,ЊґДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, Devi Д"ДмД²Д,Д¼Д°Њ, DTIR-150 1647 / 1800 Д'Њ, âЄґ Њ,Д,Дґ Д°Д°Д±ДмД»Њ• Д'Д²ЊфЊ...Д¶Д,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД³Д²Д°Д½Д½Њ«Д' âЄґ Д½Д³Д¼Д¼Д,Д½Д°Д»ЊЄД½Д³Д¼Дм Д½Д°ДґЊЊ•Д¶ДмД½Д,Дм ~ 230 Д' âЄґ ЊфД'ДмД»ЊЄД½Д°ДЊ• Д¼Д³ДЊ%Д½Д³ДЊ•Њ,ЊЄ 137 Д'Њ,Д¼² ДґЊЄД, 2 [ДґД³Д»ЊЄД³Д±Д½ДмДм...]



Devi ДґДмДґД»Њ«Д' ДґД³Д» Њ«Д»ДмД°Њ,ЊЄД,ЊґДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 206 / 225 Д'Њ, 0,45 5 410.00

Devi ДґДмДґД»Њ«Д' ДґД³Д» Њ«Д»ДмД°Њ,ЊЄД,ЊґДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 206 / 225 Д'Њ, 0,45 x 3 Д¼ 1,5 ДґДмЊ...Д½Д,ЊґДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, : âЄґ Њ,Д,Дґ Д°Д°Д±ДмД»Њ• Д'Д²ЊфЊ...Д¶Д,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД³Д²Д°Д½Д½Њ«Д' âЄґ Д½Д³Д¼Д¼Д,Д½Д°Д»ЊЄД½Д³Д¼Дм Д½Д°ДґЊЊ•Д¶ДмД½Д,Дм ~ 230 Д' âЄґ ЊфД'ДмД»ЊЄД½Д°ДЊ• Д¼Д³ДЊ%Д½Д³ДЊ•Њ,ЊЄ 137 Д'Њ,Д¼² ДґЊЄД, 220 Д', 150 Д'Њ,Д¼² ДґЊЄД, 230 Д' âЄґ Њ,Д³Д»Њ%Д,Д½Д° [ДґД³Д»ЊЄД³Д±Д½ДмДм...]



Devi ДґДмДґД»Њ«Д' ДґД³Д» Њ«Д»ДмД°Њ,ЊЄД,ЊґДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 274 / 300 Д'Њ, 0,45 6 290.00

Devi ДґДмДґД»Њ«Д' ДґД³Д» Њ«Д»ДмД°Њ,ЊЄД,ЊґДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 274 / 300 Д'Њ, 0,45 x 4 Д¼ 2 [ДґД³Д»ЊЄД³Д±Д½ДмДм...]



Devi ДѳДмДзД»Њ«Д' ДзД¾Д» Њ•Д»ДмД°Њ,ЊЄД,ЊџДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 69 / 75 Д'Њ, 0,45 x 4 100.00

Devi ДѳДмДзД»Њ«Д' ДзД¾Д» Њ•Д»ДмД°Њ,ЊЄД,ЊџДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 69 / 75 Д'Њ, 0,45 x 1 Д¼ 0,5 ДѳДмЊ...Д½Д,ЊџДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, : â€¢ Њ,Д,Дз Д°Д°Д±ДмД»Њ• Д'Д²ЊфЊ...Д¶Д,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД¾Д²Д°Д½Д½Њ«Д' â€¢ Д½Д¾Д¼Д¼Д,Д½Д°Д»ЊЄД½Д¾Дм Д½Д°ДзЊЄЊ•Д¶ДмД½Д,Дм ~ 230 Д' â€¢ ЊфД'ДмД»ЊЄД½Д°Њ• Д¼Д¾ДЊ%Д½Д¾ДЊ•Њ,ЊЄ 137 Д'Њ,/Д¼Д ДзЊЄД, 220 Д', 150 Д'Њ,/Д¼Д ДзЊЄД, 230 Д' â€¢ Њ,Д¾Д»Њ%Д,Д½Д° Д¼ [\[ДŸД¾Д'ЊЄД¾Д±Д½ДмДм...\]](#)



Devi ДѳДмДзД»Њ«Д' ДзД¾Д» Њ•Д»ДмД°Њ,ЊЄД,ЊџДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 961 / 1050 Д'Њ, 0,4 13 750.00

Devi ДѳДмДзД»Њ«Д' ДзД¾Д» Њ•Д»ДмД°Њ,ЊЄД,ЊџДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ, DTIR-150 961 / 1050 Д'Њ, 0,45 x 14 Д¼ 7 ДѳДмЊ...Д½Д,ЊџДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, Devi Д"ДмД²Д,Д¼Д°Њ, DTIR-150 961 / 1050 Д'Њ, â€¢ Њ,Д,Дз Д°Д°Д±ДмД»Њ• Д'Д²ЊфЊ...Д¶Д,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД¾Д²Д°Д½Д½Њ«Д' â€¢ Д½Д¾Д¼Д¼Д,Д½Д°Д»ЊЄД½Д¾Дм Д½Д°ДзЊЄЊ•Д¶ДмД½Д,Дм ~ 230 Д' â€¢ ЊфД'ДмД»ЊЄД½Д°Њ• Д¼Д¾ДД%Д½Д¾ДД•Њ,ЊЄ 137 Д'Њ,/Д¼Д ДзЊЄД, 220 Д', [\[ДŸД¾Д'ЊЄД¾Д±Д½ДмДм...\]](#)



Devi ДѳДмДзД»Њ«Д' ДзД¾Д» Њ•Д»ДмД°Њ,ЊЄД,ЊџДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ,-150 137 / 150 Д'Њ, 0,45 x 2 4 650.00

Devi ДѳДмДзД»Њ«Д' ДзД¾Д» Њ•Д»ДмД°Њ,ЊЄД,ЊџДмЊ•Д°Д,Д' Д"ДмД²Д,Д¼Д°Њ,-150 137 / 150 Д'Њ, 0,45 x 2 Д¼ 1 ДѳДмЊ...Д½Д,ЊџДмЊ•Д°Д,Дм Њ...Д°ЊЄД°Д°Њ,ДмЊЄД,Њ•Њ,Д,Д°Д, : â€¢ Њ,Д,Дз Д°Д°Д±ДмД»Њ• Д'Д²ЊфЊ...Д¶Д,Д»ЊЄД½Њ«Д' Њ•Д°ЊЄД°Д½Д,ЊЄД¾Д²Д°Д½Д½Њ«Д' â€¢ Д½Д¾Д¼Д¼Д,Д½Д°Д»ЊЄД½Д¾Дм Д½Д°ДзЊЄЊ•Д¶ДмД½Д,Дм ~ 230 Д' â€¢ ЊфД'ДмД»ЊЄД½Д°Њ• Д¼Д¾ДД%Д½Д¾ДД•Њ,ЊЄ 137 Д'Њ,/Д¼Д ДзЊЄД, 220 Д', 150 Д'Њ,/Д¼Д ДзЊЄД, 230 Д' â€¢ Њ,Д¾Д»Њ%Д,Д½Д° Д¼Д°Њ,Д° 4 [\[ДŸД¾Д'ЊЄД¾Д±Д½ДмДм...\]](#)

- « « Д' Д½Д°ЊџД°Д»Д¾
- « ДŸЊЄДмД'Њ«Д'ЊфЊ%Д°Њ•
- 1

-
-

Д;Д»ДμД´ÑfÑŽÑ%°Д°Ñ• »
Д' Д°Д³/₄Д¹/₂ДμÑ† »»

Д ДμД·ÑfД»ÑСЭÑ,Д°Ñ,Ñ« 1 - 15 Д,Д· 15